

PHENOLIC FILM-FACED PINE PANEL REINFORCED WITH EUCALYPTUS **GLOBULUS**

> Improved resistance **DUE ТО ТНЕ** COMBINATION OF PINE and **eucalyptus GLOBULUS**!

> > **Outdoor durability**

Class III phenolic gluing

and edges sealed with

Wood from sustainable

European tree areas.

damp-proof paint.

Sustainability

Sustainable European plywood




Smooth surface Smooth phenolic film finish,

perfect for formwork.



Longer service life



Larger number of reuses thanks to its eucalyptus-



Exceptional properties Dimensional stability

and uniformity.



🐻 2023 / 12 E



PHENOLIC FILM-FACED PINE PANEL REINFORCED WITH EUCALYPTUS GLOBULUS

Plywood panel for formwork covered with 170 gr/m² phenolic paper, a Eucalyptus Globulus-reinforced European Radiata Pine-based core and edges sealed with damp-proof paint.

The interior combination of pine and Eucalyptus Globulus (the densest of *eucalyptus* species) increases strength, leading to a larger number of reuses of the panel in formwork, maintaining high stability and dimensional uniformity.


The interior combination of pine and Eucalyptus Globulus (the densest of eucalyptus species) increases strength, leading to a larger number of reuses of the panel in formwork, maintaining high stability and dimensional uniformity.

Applications:

Its extraordinary mechanical strength makes it perfect for all kinds of formwork, moulds for premanufacturing, manual formwork systems and engineering structures.

Rippling: The rippling in formwork panels is a natural phenomenon resulting from the wood's reaction to high volume of water during concrete casting. These undulations occur in the outer veneers that are in indirect contact with the concrete and are intrinsic, unable to be completely eliminated due to their inherent nature.

Esthetic Limitations: While our formwork panels are top-quality European products for concrete casting, their suitability for creating decorative elements is not guaranteed.





The figures included in this technical data file are for information purposes only and have no contractual value. The formats, dimensions, thickness, plies and technical characteristics may vary with no prior notification based on new developments and technological advancements. The buyer is responsible for deciding whether the Garnica product is suitable for the desired application, and will be required to ensure that the location and way in which it is used are suitable according to the manufacturer's instructions and suggestions, as well as its compliance with current regulations. Health and safety: The user/recipient of the product is obliged to carry out risk assessments of the people whom are going to process/transform it based on the local health and safety legal requirements, implementing the necessary controls in order to provide appropriate preventive information at info@garnica.one.









- 🗴 @garnicaplywood
- @garnicaplywood
- in Garnica Plywood
- Garnica
- @garnicaplywood
- f Garnica

